

[snsebatik2018] Submission Acknowledgement

2 pesan

Reza Andrea <perpustakaan@wicida.ac.id>
Kepada: Sri Mulyati <mulya@uii.ac.id>

7 November 2018 13.54



Sri Mulyati:

Terima kasih telah mengirimkan naskah, "NORMALISASI DATABASE DAN MIGRASI DATABASE UNTUK MEMUDAHKAN MANAJEMEN DATA" ke SEMINAR NASIONAL SEBATIK 2018, Kami akan mengabarkan melalui email, kemajuan proses *review* naskah anda

Submission URL: <http://jurnal.wicida.ac.id/index.php/snsebatik2018/authorDashboard/submission/248>
Username: mulya

Semua Naskah yang diterima untuk publikasi **tidak akan di Prosidingkan** melainkan akan dipublikasikan di **Jurnal Nasional, Jurnal Terakreditasi dan HKI Hak Cipta Karya Tulis**
Jika ada pertanyaan silahkan hubungi komite kami.

Committee of SNSEBATIK

STMIK Widya Cipta Dharma
Jl. Prof. M. Yamin No. 25
Samarinda, 75123, Indonesia
Telp. +62541736071 Hp. +6281346279717
Homepage : www.jurnal.wicida.ac.id E-mail : reza@wicida.ac.id



Reza Andrea <perpustakaan@wicida.ac.id>
Kepada: Sri Mulyati <mulya@uii.ac.id>

7 November 2018 14.14



Sri Mulyati:

Terima kasih telah mengirimkan naskah, "IDENTIFYING STUDENTS' ACADEMIC ACHIEVEMENT AND PERSONALITY TYPES WITH NAIVE BAYES CLASSIFICATION" ke SEMINAR NASIONAL SEBATIK 2018, Kami akan mengabarkan melalui email, kemajuan proses *review* naskah anda

Submission URL: <http://jurnal.wicida.ac.id/index.php/snsebatik2018/authorDashboard/submission/249>
Username: mulya

[Kutipan teks disembunyikan]

[snebatik2018] Editor Decision

2 pesan

Reza Andrea <perpustakaan@wicida.ac.id>
Kepada: Sri Mulyati <mulya@uii.ac.id>

10 November 2018 02.19



Sri Mulyati:

Kami telah meninjau Naskah anda: SEMINAR NASIONAL SEBATIK 2018, "IDENTIFYING STUDENTS' ACADEMIC ACHIEVEMENT AND PERSONALITY TYPES WITH NAIVE BAYES CLASSIFICATION".

Keputusan kami: **Revisions Required** (*login di akun snebatik anda untuk melihat detail*)

Silahkan anda melakukan revisi dalam waktu yang telah ditentukan, untuk penerbitan LOA dan pembayaran akan kami informasikan selanjutnya, setelah proses revisi dan review selesai.

Semua Naskah yang diterima untuk publikasi **tidak akan di Prosidingkan** melainkan akan dipublikasikan di **Jurnal Nasional, Jurnal Terakreditasi dan HKI Hak Cipta Karya Tulis**

Jika ada pertanyaan silahkan hubungi komite kami.


Committee of SNSEBATIK**STMIK Widya Cipta Dharma**

Jl. Prof. M. Yamin No. 25

Samarinda, 75123, Indonesia

Telp. +62541736071 Hp. +6281346279717

Homepage : www.jurnal.wicida.ac.id E-mail : reza@wicida.ac.id

 **A-249-Jurnal SEBATIK Multidisiplin (.doc_.docx) - DESEMBER 2018-270-1-2-20181107 (Repaired).doc**
127K

Reza Andrea <perpustakaan@wicida.ac.id>
Kepada: Sri Mulyati <mulya@uii.ac.id>

10 November 2018 02.20



Sri Mulyati:

Kami telah meninjau Naskah anda: SEMINAR NASIONAL SEBATIK 2018, "NORMALISASI DATABASE DAN MIGRASI DATABASE UNTUK MEMUDAHKAN MANAJEMEN DATA".

Keputusan kami: **Revisions Required** (*login di akun snebatik anda untuk melihat detail*)

[Kutipan teks disembunyikan]

 **A-248-Jurnal SEBATIK Multidisiplin (.doc_.docx) - DESEMBER 2018-269-1-2-20181107.doc**
145K

IDENTIFYING STUDENTS' ACADEMIC ACHIEVEMENT AND PERSONALITY TYPES WITH NAIVE BAYES CLASSIFICATION

Sri Mulyati

Jurusan Teknik Informatika, Fakultas Teknologi Industri, Universitas Islam

[Click Review- Show Markup...](#)

E-mail: mulya@uii.ac.id

Commented [M1]: Address, post code
See template SEBATIK Journal

ABSTRAK

MBTI Psychometry is the science of psychological measurement comprised of 4 opposite dimensions, namely energy orientation with Extrovert vs. Introvert, the way to manage information by sensing and Intuition, Dimensions of drawing conclusions & decisions: Thinking (T) vs. Feeling (F), and Dimensions of lifestyle: Judging (J) vs. Perceiving (P). Students' length of study is mainly influenced by both external and internal factors of the students' individual. It is possible to measure the internal aspect of students by psychometric measurements. In addition, it is also viable to determine students' study pattern with Machine learning technology to reveal the two factors influencing the students' length of study. This study uses some of students' attributes including GPA, and the results of the 4-dimensional measurement with based on passed courses and active courses. Samples were collected from students of the academic year of 2014 comprised of 63 students from Psychological Department and 28 students from Informatics Engineering Department. The training data taken were 63 samples and the testing data were 28. In this study, the training data were used to establish the study pattern of students based on personality types. This study uses the Naive Bayes Classifier algorithm to classify 63 training data with the value of Correctly Classified Instances of 82.53%. The 28 testing data with Correct Classified Instances amounted to 96.4286%. The test method is equipped with cross validation of 8 folds resulting in the percentage of 80.95%.

Keywords— MBTI, Naive Bayes Classifier, Machine learning

1. PENDAHULUAN

Psychometry is the science of psychological measurement to provide data to help a person in self-understanding, self-assessment and self-acceptance. The results of such psychological measurements can be used by someone to improve his/her self-perception and to explore the possibility to develop in some certain fields. On this account, personality recognition tests are essential for everyone to enable self-development. The difficulty for self-development is likely triggered by inability to recognize the potentials. To know the self and to manage the self, someone can use a psychological test measuring instrument using the MBTI method (Myers-Birggs Type Indicator). MBTI is a psychological test designed to measure a person's psychological preferences in perceiving the world and making decisions (Myers, 1999). This psychological test is designed to measure an individual's intelligence, talent, and personality type. In the MBTI test there are 4 dimensions with the opposite prevalence, namely Energy orientation with Extrovert vs. Introvert, the way to manage information by sensing and Intuition, Dimension of drawing conclusions & decisions: Thinking (T) vs. Feeling (F), and Dimensions of lifestyle: Judging (J) vs. Perceiving (P). Based on the test measuring instruments used in the UII psychology laboratory, each dimension has 20 opposing questions for the measurement of each prevalence. Each question must be answered and each answer is valued by the Likert scale to determine the

answer level, 0 if it does not match, 1 if it matches, and 2 if it is very suitable. On the basis of the score of answers, the most dominant value of each dimension is taken as the personality type value.

The determinants of student length of study come from internal and external factors of the students. It is possible to determine the internal factors using psychometry. The more number of students leads to the more academic recap data. It is therefore important to extract academic data and conduct psychological tests to determine the study pattern of student. To determine the patterns we can use the classification method measuring emotional, social, cognitive, and psychological dimensions by using software (Commissioner & Guinn, 2012). One method used in this study is machine learning that applies the supervised learning method. classification is defined as a process of assessing the data object to be grouped into certain available classes.

Data were extracted to form a new knowledge which will be more useful for decision making. In this case, the concept of Naive Bayes will be used to determine the accuracy of the study pattern and show the degree of value of the possibilities arising from the measurement of academic data and personality type data.

This study uses 63 training data that were tested in 2017 from student respondents of the academic year of 2014 majoring in Psychology and data testing involved 28 data samples derived from student of the academic year of 2014 majoring in Informatics Engineering. This study is mainly triggered by the fact that it is possible to

Commented [M2]: INTRODUCTION

Commented [M5]: Correct the english

Commented [M3]: Tab(0.5) each paragraph

Commented [M4]: the references should be within the last 5 years

min. 5 or 10 citation in introduction

define the contribution and novelty of your article, articulate your central claim and explain how it relates to the larger discourse around your topic.

model the academic GPA data and personality type based on extraction of training data using the Naive Bayes classification method.

2. THE SCOPE OF RESEARCH

3. LITERATURE AND METHODOLOGY

3.1 Factors to Affect Successful Academic Achievement

Student achievement, especially in the academic field, is an indicator of the success of education. For students, this achievement is a form of evidence of their potential. Academic achievement is the easiest indicator to assess, for example by way of Achievement Index and length of study. Students of higher achiever indexes who are able to study in the specified timeframe are categorized as students who excel academically. There are two factors that can affect one's academic performance, namely internal and external factors (Gage, Berliner, 1992; Winkel, 1997). Internal factors are intelligence, motivation, and personality, while external factors are the surrounding environment both at home and at campus.

3.2 Machine Learning Technology

Machine learning is an artificial intelligence approach that is widely used to replace or imitate human behavior to solve problems or do automation. As the name implies, ML tries to imitate how human processes or intelligent beings learn and generalize. There are at least two main applications in ML, namely, classification and prediction. A distinctive feature of ML is the process of training or learning. Therefore, ML requires data to be studied which is known as training data. Classification is a method in ML that is used by machines to sort or classify objects based on certain characteristics as humans try to distinguish objects from one another, while prediction or regression is used by machines to guess the output of an input data based on the data that has been studied in the training.

3.3 Classification Method: Bayes Theorem

Naive Bayes is a simple probabilistic classification that calculates a set of probabilities by summing frequencies and combinations of values from a given dataset. The algorithm uses the Bayes theorem and assumes all independent or non-interdependent attributes given by values on class variables. Another definition delineates Naive Bayes as a classification with probability and statistical methods presented by British scientist Thomas Bayes, namely predicting future opportunities based on previous experience. The Bayes theorem equation is as stated in the followings (Jiawei Han, 2006).

3.4 Performance Testing Classification

System performance testing can be done with confusion matrix (Hossin & Sulaiman, 2015) and

interpreted with the Under Curve Area.

1. Confusion Matrix

Confusion matrix is one of the tools that can be used in learning machine evacuations that contain 2 or more categories

Table 1. Confusion matrix of 2 class table

		Predicted class	
		Yes	No
Actual class	Yes	TP: True positive	FN: False negative
	No	FP: False positive	TN: True negative

Figure 1 shows, accuracy indicates the exactness of the measurement results to the real value. The precision shows how close the difference in value when the measurements are repeated




Figure 1. Precision and accuracy

a) AUC Interpretation

AUC (Area Under Curve), as the term suggest, is the area under the curve. The area of AUC is always between the values 0 to 1 (Learning & Zheng, 2015). AUC is calculated based on the broad combination of trapezoidal points (sensitivity and specificity). The level of measurement of classification based on the AUC value can be seen in Table 2 below:

Table 2. Category classification of quality values based on AUC Value

AUC Value	Category
0.90-1.00	Excellent
0.80-0.90	Good
0.70-0.80	Fair
0.60-0.70	Poor
0.50-0.60	Fail

3.5 WEKA Data Mining

WEKA (Waikato Environment for Knowledge Analysis) is data mining software developed by the University of Waikato, New Zealand. It was first implemented in 1997 and began to be used as the open source in 1999. Until now, it has developed into version 3.9.2. Comprised of various developments as compared to its first version 3.3. Written in the Java programming language, WEKA is also supported by a very good and user friendly GUI. It can process various data files such as *.csv and *.Arff and has key features such as data

Commented [M6]: show a clear contribution and novelty of your article by comparing your work

Commented [M8]: Why the number start to 1? Or 3.5?

Commented [M9]: Ensure that all tables and figure are cited in the text in sequential order. Do not write "the following table/figure".

Commented [M7]: foreword after and before each heading

Commented [M10]: Text in picture must english

Ensure that all tables and figure are cited in the text in sequential order. Do not write "the following table/figure".

Commented [M11]:

Sebatik Journal Heading

3. HEADING 1

3.1 Sub Heading 1

3.2 Sub Heading 1

1 Sub Heading 2

2 Sub Heading 2

1) Sub Heading 3

2) Sub Heading 3

Do not use a), b) i) ii) I, IV,

pre-processing tools, learning algorithms and various evaluation methods. In addition, WEKA can also provide results in visual forms, such as tables and curves. Use of WEKA (Bouckaert et al., 2013)

- 1) Use Training Set: evaluates how well the algorithm can predict the class of an instance after training. Training data will be used for test data.
- 2) Supplied Test: evaluates how well the algorithm can predict the class of set instances taken from a file. Training data and test data are different files.
- 3) Cross-validation: evaluates the algorithm through cross-validation, using the value of the folds entered.
- 4) Percentage split: evaluates how well the algorithm can predict a certain percentage of data. The data set will be divided into 2, training data and test data.

This study discussed the clustering process with the Naive Bayes classification method to determine the accuracy of students study pattern based on personality type using Use training sets, supplied tests and Cross Validation.

The collected data amounted to 91 data consisted of 63 Training Data and 28 Testing Data. Data Samples were taken from 2 majors namely Informatics Engineering and Psychology. The attributes used in this study are orientation of learning achievement, energy orientation, information management orientation, conclusions orientation, preferred work orientation and accuracy of the study. The study pattern accuracy is presented in class with pass and active column.

Table 3 Data Transformation

Graduation Grade	GPA
A+	3.5 – 4.0 graduated
A	3.5 – 4.0
B	3.0 – 3.49
C	2.76 – 2.99
D	2.0 – 2.75

3.6 Research Methodology

The research methods applied in this study are as follows:

1. Problem Analysis and Literature Review

This stage is the first step to determine the problem statement from the research. It aims to observe the normalization problem in test measurements. This normalization problem is then analyzed to find out its solution.

2. Data Collection

Data were collected online in the form of questionnaires adopting measurements with the MBTI through mbtiforedukasi.com. Users or respondents who have already registered can take a measurement test. The results of the questionnaire will be used for analyzing data on the Naive Bayes method. After the data were collected, the researcher conducted data analysis to adjust the data to be processed in the Naive Bayes method.

3. Implementation and Testing

Testing is used to see whether this study is in accordance with the objectives.

4. RESULT AND DISCUSSION

....

4.1 Data Testing

Data testing consists of 2 active and graduated student data. Distribution of testing data can be seen in the following table 4.

Table 4. Data Testing

Data	Very Low	Low	High	Very High	Result
2	0	0	0	2	ISTJ
3	0	0	0	3	ISFJ
3	0	0	1	2	INFJ
1	0	0	0	1	INTJ
0	0	0	0	0	ISTP
0	0	0	0	0	ISFP
0	0	0	0	0	INFP
0	0	0	0	0	INTP
1	0	0	0	1	ESTP
3	0	0	0	3	ESFP
1	0	0	1	0	ENFP
0	0	0	0	0	ENTP
2	0	0	1	1	ESTJ
11	0	0	6	5	ESFJ
4	0	0	1	3	ENFJ
0	0	0	0	0	ENTJ

Commented [M12]: Can you explain how many students? Or just 16 sample?

4.2 WEKA Processing Results

The results of the classification to determine the pattern of student graduation using WEKA processing tools can be seen in figure 2 with 63 training data as follows:




Figure 2. The classification results using the Naive Bayes method.

Commented [M13]: Do not use figure to explain this.

Please type it to the text

The following is a calculation of the value of confusion matrix against the Naive Bayes algorithm with 5 attributes and 63 records which produce an accuracy rate of 82, 57%, precision of 0.854 and Recall of 0.825. Of the 63 records, classification *a* results in the value of 21 passed and *b* with a value of 31 still active.

4.3 ROC Curve

In each test in WEKA, basically the Receiver Operating Characteristic value will be immediately generated. The results of the ROC will be visualized in the form of a plot. The following is visualization for X = False Positive Rate and Y = True Positive Rate




Figure 3. ROC Curve give short description about the chart

Based on AUC measurements, it is clearly observable that the results above have optimal system performance in making predictions with an accuracy level of 84.127%.

Figure 4. Training Data

4.4 Classification Results

The classification of the 28 testing data reveals that 27 data can be classified and 1 data cannot be classified. Based on the kappa value, the statistical value is 0.78. This means that this classification is appropriate. Its precision value is 0.97 and its recall is 0.96.

Figure 5. Classification Result

The classification results of training data are then tested with testing data that has been made and classified using the Naive Bayes method. Based on the analysis, it is conclusive that the classification is said to be accurate because some classification results are directly proportional to the real situation, namely:

Based on the data of students conducting Psychology tests with the MBTI which are used as training data, it is indicated that the Naive Bayes method successfully classifies the data with an accuracy percentage of 96.42%.

5. CONCLUSION

Based on research on the formation of study patterns of students based on personality type, it is conclusive that this method utilizes training data to produce the probability for each criterion for different classes. The test data resulted in an accuracy rate of 95.2%. Of the 28 training data, 94.7 of which can be classified.

6. SUGGESTION

7. REFERENCES

- Bouckaert, R. R., Frank, E., Hall, M., Kirkby, R., Reutemann, P., Seewald, A., & Scuse, D. (2013). WEKA Manual for Version 3-7-8, 1-327. Retrieved from papers3://publication/uuid/24E005A2-AA1B-4614-BAF5-4D92C4F37413
- Hossin, M., & Sulaiman, M. N. (2015). Review on Evaluation Metrics for Data Classification Evaluations. *International Journal of Data Mining & Knowledge Management Process (IJDKP)*, 5(2), 1-11. <https://doi.org/10.5121/ijdkp.2015.5201>
- Jiawei Han, M. K. (2006). *Data Mining Concept and Technique* (Second). Morgan Kaufmann.
- Komisin, M., & Guinn, C. (2012). Identifying Personality Types Using Document Classification Methods. *Proceedings of the Twenty-Fifth International Florida Artificial Intelligence Research Society Conference*, 232-237.
- Learning, M., & Zheng, A. (2015). *Evaluating Machine Learning Models nA Beginner's Guide to Key Concepts and Pitfalls*. O'Reilly.
- Bouckaert, R. R., Frank, E., Hall, M., Kirkby, R., Reutemann, P., Seewald, A., & Scuse, D. (2013). WEKA Manual for Version 3-7-8, 1-327. Retrieved from papers3://publication/uuid/24E005A2-AA1B-4614-BAF5-4D92C4F37413
- Gage dan Berliner. 1992. *Education Psychology 5th edition*. Boston : Houghton Mifflin Company.
- Hossin, M., & Sulaiman, M. N. (2015). Review on Evaluation Metrics for Data Classification Evaluations. *International Journal of Data Mining & Knowledge Management Process (IJDKP)*, 5(2), 1-11. <https://doi.org/10.5121/ijdkp.2015.5201>
- Jiawei Han, M. K. (2006). *Data Mining Concept and Technique* (Second). Morgan Kaufmann.
- Komisin, M., & Guinn, C. (2012). Identifying Personality Types Using Document Classification Methods. *Proceedings of the Twenty-Fifth International Florida Artificial Intelligence Research Society Conference*, 232-237.
- Learning, M., & Zheng, A. (2015). *Evaluating Machine Learning Models nA Beginner's Guide to Key Concepts and Pitfalls*. O'Reilly.
- Myers, MH, McCaulley, NL Quenk. 1999. *MBTI Manual: A Guide to the Development and Use*

Commented [M14]: Ensure that all tables and figure are cited in the text in sequential order. Do not write "the following table/figure".

Convert graphic to png or svg format

Commented [M15]: Remove this picture and replace to table or chart

Commented [M16]: Do not use figure to explain this.

Please type it to the text

Commented [M17]: Conclusion must can sum up your main points and leave your reader with a clear sense of what to take away from your overall essay. Creating a strong essay means making sure that you have a clear introduction, several body paragraphs, and an equally strong conclusion.

of the Myers-Briggs Type Indicator.
Consulting Psychologists Press, Incorporated.

Commented [M18]:

Order by Ascending (A-Z)

Use Harvard Style, do not use "(“ 2006 ”)"
open parenthesis, which looks like "(", is used to begin parenthetical
text. The close parenthesis, ")"

Ex – Harvard Style :

Wei, W., Fan, X., Song, H., Fan, X., & Yang, J. **2018**. Imperfect
information dynamic stackelberg game based resource allocation
using hidden Markov for cloud computing. *IEEE Transactions on
Services Computing*, 11(1), 78-89.

Use google scholar or mendelev to cite