

CaO/Natural Dolomite as a Heterogeneous Catalyst for Biodiesel Production

Bachrun Sutrisno^{1,a*}, Atik Dian Nafiah^{1,b}, Indah Suci Fauziah^{1,c},
Winarto Kurniawan^{2,d}, Hirofumi Hinode^{2,e} and Arif Hidayat^{1,f}

¹Chemical Engineering Department, Universitas Islam Indonesia, Indonesia

²Global Engineering for Development, Environment and Society, Transdisciplinary Science and Engineering, Tokyo Institute of Technology, Japan

^{a*}bachrun@uii.ac.id, ^b16521230@students.uui.ac.id, ^c16521273@students.uui.ac.id,
^dkurniawan.w.ab@m.titech.ac.jp, ^ehinode.h.aa@m.titech.ac.jp, ^farif.hidayat@uii.ac.id

Keywords: biodiesel; coconut oil; catalyst; dolomite; transesterification

Abstract. In the present study, the CaO/Natural Dolomite as a heterogeneous catalyst was applied to synthesize biodiesel from coconut oil. The physico-characteristics of CaO/Natural Dolomite catalyst were determined using X-ray diffraction (XRD), X-Ray Fluorescence, and porosity analysis (specific surface area, average pore size diameter and total pore volume). The performance of CaO/Natural Dolomite catalyst was examined in a batch reactor for transesterification reaction of coconut oil with methanol. From the experiments, the optimum process conditions were achieved at a 60°C of reaction temperature, a 5 wt.% of catalyst amount, and 6 : 1 of methanol to coconut oil mass ratio. The CaO/Natural Dolomite catalyst exhibits high catalytic activity and reliable to be applied in biodiesel synthesis as a heterogeneous base catalyst.

Introduction

In Indonesia, the need for energy has increased annually due to the growth in population and industrialization. Despite the exploration of the reservoir be intensified continuously, the diminishing of fossil fuels is occurred due to inequality between the need and supply of energy. In the past few decades, biodiesel has received much attention from many researchers as a renewable energy source to replace fossil fuels. Biodiesel has several benefits i.e. degraded, non-toxic, low hazardous exhaust emissions, and does not contain sulfur [1]. Biodiesel is typically synthesized by chemically reacting fatty acids or triglycerides with a short chain of alcohol to yield fatty acid methyl esters [2]. Various types of vegetable oil and animal fats can be employed as raw materials for biodiesel production [3]. The conventional biodiesel synthesis is conducted with the presence of homogeneous catalysts (acid or alkali). However, the use of homogeneous catalysts lead to many limitations, such as a difficult separation process, cannot be reusable, more corrosive and produced a large amount of wastewater [4]. The searching of heterogeneous catalysts has received much concern related to the problems posed by homogeneous catalysts. In previous literature, many researchers have reported the application of heterogeneous catalyst for biodiesel production .

Several types of heterogeneous catalysts based on natural resources have been developed and tested for biodiesel synthesis. This type of catalyst has several advantages, i.e. easy to obtain, available abundantly, have high porosity, does not require a complicated synthesis step, and inexpensive [5]. The natural mineral catalysts are very interesting to study due to the ability to be applied for biodiesel synthesis using the transesterification reaction pathway. The heterogeneous acid catalysts are considerably applied in biodiesel synthesis. Different heterogeneous catalysts such as, clays [6], zeolite [7], amberlyst [8], metal oxide [9-13], ion exchange resin [14], bio-char [15, 16], heteropolyacids [17] and polymer-based [18] have been examined to catalyze the various feedstocks for biodiesel synthesis. The main issue related to the biodiesel production is the competitiveness of its price compared to petroleum-based fuel price. Thus, the production cost should be reduced to gain the biodiesel price more reliable. One way to lower the cost is by utilizing low-cost feedstock. Various materials have been exploited as cheap feedstocks for

biodiesel production such as animal fats (mutton [19], tallow [20], and lard [21]), non-edible oils [22-24], yellow grease [25], etc. The use of non-edible oil for biodiesel raw materials has limitations in connection with the oil production efficiency in every cultivation area. The raw material which has a good prospect as a feedstock in biodiesel synthesis is coconut oil.

The biodiesel synthesis from coconut oil over CaO/Natural Dolomite was investigated in this study. The CaO/Natural Dolomite were characterized using several technique including porosity, basicity, cristanility, and elemental analysis. Different operating conditions were varied to study their effect on catalytic activity performance. Based on the previous literature study, the reported research that related to the utilization of CaO/Natural Dolomite in biodiesel synthesis is still limited.

Experimental

Materials. Commercial coconut oil was purchased from local market in Sleman, Yogyakarta, Indonesia. The natural dolomite was gained from by the grocery farming supplier. $\text{Ca}(\text{NO}_3)_2 \cdot 8\text{H}_2\text{O}$ was obtained Sigma Aldrich and methanol p.a. was acquired from Merck..

Preparation of CaO/Natural Dolomite Catalyst. The natural dolomite was screened to get uniform size into 200 mesh. Subsequently, the natural dolomite was calcined at 900°C in tubular furnace for 4 hours. The dolomite catalysts were synthesized by conventional impregnation process using metal salts of $\text{Ca}(\text{NO}_3)_2 \cdot 8\text{H}_2\text{O}$. The 5% wt. of Calcium was doped into the calcined dolomite at 60°C for 8 hours while agitated vigorously. Then, the mixtures were dried in the oven at 80°C for overnight to obtain the slurry. Finally, the slurry was calcined at 400°C for 4 hours to form CaO/Natural Dolomite.

Characterization of Catalyst. The measurement of porosity was carried out using the N_2 adsorption-desorption isotherm analysis. The XRD analysis was performed to identify the cristanility of CaO-dolomite catalyst. The element composition was determined by X-Ray Fluorescence.

Catalyst Performance. In this work, the coconut oil transesterification reaction was conducted on the batch reactor using a boiling flask placed on the top of a magnetic stirrer which completed with thermometer and condenser. The reaction procedures were applied using steps as follow: (i) methanol was mixed with coconut oil and added with CaO/Natural Dolomite catalyst; (ii) then the mixture was stirred vigorously while temperature was elevated; (iii) After the reaction was finished, the catalyst was separated from reaction product by centrifugation process; (iv) the remaining methanol was removed by distillation process; and (v) the biodiesel product was collected by using a separating funnel. The mass ratio of methanol /oil was studied from 2 to 6, while the weight of catalyst was varied from 1 up to 5 wt.%..

Results and Discussion

Characterization of Catalyst. Fig. 1 shows the XRD analysis patterns of the Natural Dolomite and CaO/Natural Dolomite catalyst. The crystalline structures of the natural dolomite and CaO/Natural Dolomite catalyst are indicated intensively in several peaks. The peaks at $2\theta = 32^\circ$, 38° , 43° , 54° , 65° , 68° and 75° reveals the presence of CaO dan MgO. Furthermore, the existence of $\text{MgCa}(\text{CO}_3)_2$, CaCO_3 , and $\text{Ca}(\text{OH})_2$ are detected at $2\theta = 41^\circ$, 51° , 19° , 29° , 35° and 47° . A high crystallinity of CaO–MgO structure was exhibited with the high intensities of the diffraction patterns both on the Natural Dolomite and CaO/Natural Dolomite catalyst. The determination of mineralogical composition of the Natural Dolomite and CaO/Natural Dolomite catalyst was carried ou using an X-Ray Fluorescence (XRF) spectrometer. Based on the XRF analysis, the Natural Dolomite was mainly composed 48.65 wt% of CaO, 13.41 wt% of MgO, and other substances. Meanwhile, on the CaO/Natural Dolomite catalyst contained 56.65 wt% of CaO, 10.24 wt% of MgO, and other compounds. It clearly showed that, the increasing of CaO content was indicated after the impregnation process. The surface area of the Natural Dolomite and CaO/Natural

Dolomite catalyst were tabulated in Table 1. The Natural Dolomite has a mesoporous structure with surface area of $19.32 \text{ m}^2/\text{g}$ and average pore diameter of 15.6 nm , respectively. The pore volume shows at value of $0.0212 \text{ cm}^3.\text{g}^{-1}$. When more CaO was doped onto the Natural Dolomite, the surface area decreased to 12.73 m^2 and the average pore diameter enhanced to 16.54 nm . Meanwhile, a $0.0304 \text{ cm}^3.\text{g}^{-1}$ of pore volume was achieved.




Fig. 1. The XRD Analysis Patterns of: (a) Natural Dolomite and; (b) CaO/Natural Dolomite Catalyst

Catalyst Performance

Effect of Mass Ratio. The transesterification reaction is limited by the equilibrium. To favour the forward reaction, the amount of methanol was performed excessively. The mass ratio of methanol to coconut oil was varied in the range of 3:1 to 6:1 to investigate the effect of mass ratio methanol to coconut oil on biodiesel yield. The effect of mass ratio methanol to oil on the biodiesel yield was exhibited in Fig. 2. As shown in Fig. 2, when the mass ratio was increased from 2:1 to 6:1, the biodiesel yield was found to increase from 68% to 82%. The highest conversion was found at mass ratio of 6:1.




Fig. 2. Effect of Mass Ratio Methanol to Coconut Oil on Biodiesel Yield

Effect of Catalyst Amount. The study of catalyst effect to biodiesel yield is conducted by using the different catalysts amount i.e. 0.5; 1; 2.5; and 10 wt.% of coconut oil. Fig. 3 depicted the effect of catalyst amount on biodiesel yield. The biodiesel yield increased when the catalyst amount increased from 0.5 to 5 wt.% of coconut oil. The increasing of biodiesel yield might be due to the enhancement of the available total active sites number on catalyst surface.




Fig. 3. Effect of Amount of Catalysts on Biodiesel Yield

Effect of Reaction Temperature. Different reaction temperatures (40, 50 and 60°C) were employed to study their effect on the biodiesel yield. Fig. 4 exhibits the influence of temperature on the transesterification of coconut oil using CaO/Natural Dolomite catalyst. As depicted in Fig. 4, elevating of the temperature had favorably affected the biodiesel yield. An increase in biodiesel yield from 70 to 77% was obtained at an increasing temperature of 40 to 60°C. The maximum biodiesel yield is achieved at 60°C. An increase of biodiesel yield was due to the the increasing reaction rate at high temperature.




Fig. 4. Effect of Reaction Temperature on Biodiesel Yield

Conclusions

The CaO/Natural Dolomite catalyst exhibits high catalytic activity and reliable to be applied in biodiesel production as a heterogeneous base catalyst. The effects of the mass ratio of catalyst to oil (2:1–6:1), amount of catalysts (1–10 wt.%), and the reaction temperature (40–60°C) were studied to optimize the reaction conditions. From the experiments, the optimum process conditions were achieved at a 60°C of reaction temperature, a 5 wt.% of catalyst amount, and 6 : 1 of methanol to coconut oil mass ratio.

References

- [1] A.K. Zahan, M. Kano, Biodiesel Production from Palm Oil, Its By-Products, and Mill Effluent: A Review, *Energies*, 11 (2018).
- [2] J. Vakros, Biochars and Their Use as Transesterification Catalysts for Biodiesel Production: A Short Review, *Catalysts*, 8 (2018).
- [3] E. Alptekin, M. Canakci, H. Sanli, Biodiesel production from vegetable oil and waste animal fats in a pilot plant, *Waste Management*, 34 (2014) 2146-2154.
- [4] I.M. Atadashi, M.K. Aroua, A.R. Abdul Aziz, N.M.N. Sulaiman, The effects of catalysts in biodiesel production: A review, *Journal of Industrial and Engineering Chemistry*, 19 (2013) 14-26.
- [5] Y.S. Pradana, A. Hidayat, A. Prasetya, A. Budiman, Application of coconut-shell activated carbon as heterogeneous solid catalyst for biodiesel synthesis, *Defect and Diffusion Forum*, 382 DDF (2018) 280-285.
- [6] L. Jia, Y. Li, J. Chen, X. Guo, S. Lou, H. Duan, Montmorillonite-supported KF/CaO: a new solid base catalyst for biodiesel production, *Research on Chemical Intermediates*, 42 (2016) 1791-1807.
- [7] R.I. Kusuma, J.P. Hadinoto, A. Ayucitra, F.E. Soetaredjo, S. Ismadji, Natural zeolite from Pacitan Indonesia, as catalyst support for transesterification of palm oil, *Applied Clay Science*, 74 (2013) 121-126.
- [8] M.M.R. Talukder, J.C. Wu, S.K. Lau, L.C. Cui, G. Shimin, A. Lim, Comparison of Novozym 435 and Amberlyst 15 as Heterogeneous Catalyst for Production of Biodiesel from Palm Fatty Acid Distillate, *Energy & Fuels*, 23 (2009) 1-4.
- [9] W.U. Rahman, A. Fatima, A.H. Anwer, M. Athar, M.Z. Khan, N.A. Khan, G. Halder, Biodiesel synthesis from eucalyptus oil by utilizing waste egg shell derived calcium based metal oxide catalyst, *Process Safety and Environmental Protection*, 122 (2019) 313-319.
- [10] L. Du, Z. Li, S. Ding, C. Chen, S. Qu, W. Yi, J. Lu, J. Ding, Synthesis and characterization of carbon-based MgO catalysts for biodiesel production from castor oil, *Fuel*, 258 (2019) 116122.
- [11] D. Salinas, C. Sepúlveda, N. Escalona, J.L. Gfierro, G. Pecchi, Sol-gel La₂O₃-ZrO₂ mixed oxide catalysts for biodiesel production, *Journal of Energy Chemistry*, 27 (2018) 565-572.
- [12] M. Fan, Z. Si, W. Sun, P. Zhang, Sulfonated ZrO₂-TiO₂ nanorods as efficient solid acid catalysts for heterogeneous esterification of palmitic acid, *Fuel*, 252 (2019) 254-261.
- [13] N.F. Sulaiman, W.A. Wan Abu Bakar, S. Toemen, N.M. Kamal, R. Nadarajan, In depth investigation of bi-functional, Cu/Zn/γ-Al₂O₃ catalyst in biodiesel production from low-grade cooking oil: Optimization using response surface methodology, *Renewable Energy*, 135 (2019) 408-416.
- [14] N. Jaya, B.K. Selvan, S.J. Vennison, Synthesis of biodiesel from pongamia oil using heterogeneous ion-exchange resin catalyst, *Ecotoxicology and Environmental Safety*, 121 (2015) 3-9.
- [15] A. Hidayat, B. Sutrisno, Esterification free fatty acid in sludge palm oil using ZrO₂/SO₄²⁻ - Rice husk ash catalyst, in: *AIP Conference Proceedings*, 2017.
- [16] A. Hidayat, Rochmadi, K. Wijaya, A. Budiman, Removal of free fatty acid in Palm Fatty Acid Distillate using sulfonated carbon catalyst derived from biomass wastefor biodiesel production, in: *IOP Conference Series: Materials Science and Engineering*, 2016.

-
- [17] J. Alcañiz-Monge, B.E. Bakkali, G. Trautwein, S. Reinoso, Zirconia-supported tungstophosphoric heteropolyacid as heterogeneous acid catalyst for biodiesel production, *Applied Catalysis B: Environmental*, 224 (2018) 194-203.
- [18] R. Gomes, P. Bhanja, A. Bhaumik, Sulfonated porous organic polymer as a highly efficient catalyst for the synthesis of biodiesel at room temperature, *Journal of Molecular Catalysis A: Chemical*, 411 (2016) 110-116.
- [19] V. Mutreja, S. Singh, A. Ali, Biodiesel from mutton fat using KOH impregnated MgO as heterogeneous catalysts, *Renewable Energy*, 36 (2011) 2253-2258.
- [20] A.B. Fadhil, Biodiesel Production from Beef Tallow Using Alkali-Catalyzed Transesterification, *Arabian Journal for Science and Engineering*, 38 (2013) 41-47.
- [21] I.J. Stojković, M.R. Miladinović, O.S. Stamenković, I.B. Banković-Ilić, D.S. Povrenović, V.B. Veljković, Biodiesel production by methanolysis of waste lard from piglet roasting over quicklime, *Fuel*, 182 (2016) 454-466.
- [22] O.O. Ayodele, F.A. Dawodu, Production of biodiesel from *Calophyllum inophyllum* oil using a cellulose-derived catalyst, *Biomass and Bioenergy*, 70 (2014) 239-248.
- [23] L.R.V. da Conceição, L.M. Carneiro, J.D. Rivaldi, H.F. de Castro, Solid acid as catalyst for biodiesel production via simultaneous esterification and transesterification of macaw palm oil, *Industrial Crops and Products*, 89 (2016) 416-424.
- [24] T. Lieu, S. Yusup, M. Moniruzzaman, Kinetic study on microwave-assisted esterification of free fatty acids derived from *Ceiba pentandra* Seed Oil, *Bioresource Technology*, 211 (2016) 248-256.
- [25] B.M. Panchal, S.A. Deshmukh, M.R. Sharma, Production and kinetic transesterification of biodiesel from yellow grease with dimethyl carbonate using methanesulfonic acid as a catalyst, *Environmental Progress & Sustainable Energy*, 36 (2017) 802-807.

Search

SEARCH

Journals

Books

Engineering Research

Advanced Engineering Forum >

Applied Mechanics and Materials >

Engineering Chemistry >

Engineering Innovations >

Journal of Biomimetics, Biomaterials and Biomedical Engineering >

International Journal of Engineering Research in Africa >

Materials Science

Home » [Materials Science Forum](#) » Details




Materials Science Forum - Details

ISSN: 1662-9752

Details

Volumes

Editorial Board



About:

Materials Science Forum (MSF) is a peer-reviewed journal. The journal scope covers all aspects of theoretical, computational and experimental research in the area of materials science. It includes but is not limited to materials synthesis, analysis of materials properties, the technology of materials processing and materials application. Materials Science Forum is one of the largest periodicals in its field.

Materials Science Forum specializes on the publication of thematically complete volumes as well as special topic volumes. Publication of stand-alone papers by individual authors is also considered.

All published materials are archived with [PORTICO](#) and [CLOCKSS](#).



Journals

Engineering Research

Advanced Engineering Forum

Applied Mechanics and Materials

Engineering Chemistry

Engineering Innovations

Journal of Biomimetics, Biomaterials and Biomedical Engineering

International Journal of Engineering Research in Africa

Materials Science

Advanced Materials Research

Defect and Diffusion Forum

Diffusion Foundations and Materials Applications

Journal of Metastable and Nanocrystalline Materials

Journal of Nano Research

Key Engineering Materials

Materials Science Forum

Nano Hybrids and Composites

Solid State Phenomena

Engineering Series

Advances in Science and Technology

Construction Technologies and Architecture

Books

Special Book Collections

Foundations of Materials Science and Engineering

Scientific Books Collection

Specialized Collections

Retrospective Collection

Materials Science Forum

ISSN: 1662-9752

Details

Volumes

Editorial Board

Enter Number of Volume

Year

1 2 3 4 5 ... > >>

Volumes

Materials Science Forum Vol. 1081

Edited by: Dr. Thangaparakash Sengodan, Dr. Peter Horňak, Dr. Miloš Matviija, Dr. Denis B. Solovev and Ramadhansyah Putra Jaya

Online since: March 2023

Description: This special topic edition is devoted to current issues in materials science and materials synthesis and processing technologies. The publication will be useful to materials [...more](#)

Materials Science Forum Vol. 1080

Edited by: Dr. Juniastel Rajagukguk, Prof. Agustinus Agung Nugroho, Prof. Shixuan Xin, Prof. Iulian Antoniac and Prof. Guillermo Requena

Online since: January 2023

Description: This special edition is dedicated to analysing properties and possible methods of treatment and applications of the comprehensive nomenclature of modern special and [...more](#)

Materials Science Forum Vol. 1079

Edited by: Prof. Iulian Antoniac, Prof. Guillermo Requena, Dr. Xinyu Hu, Dr. Omar S. Dahham and Dr. Nur Hidayati Othman

Online since: December 2022

Description: This edition presents a series of research results in materials science and technologies of materials synthesis and processing used in many branches of modern [...more](#)

Materials Science Forum Vol. 1078

Edited by: Prof. Iulian Antoniac, Prof. Guillermo Requena, Dr. Omar S. Dahham and Dr. Xinyu Hu

Online since: December 2022

Description: This special topic edition presents the latest research results in materials science and materials synthesis and processing technologies for various branches of modern [...more](#)

Materials Science Forum Vol. 1077

Edited by: Dr. Omar S. Dahham, Assoc. Prof. Dr. Norzahir Sapawe, Dr. Noor Faizah Che Harun and Prof. Mosbeh Kaloop

Online since: December 2022

Description:

This edition presents the latest research results in materials science and technologies for [...more](#)

Materials Science Forum Vol. 1076

Edited by: Assoc. Prof. Dr. Norzahir Sapawe, Dr. Noor Faizah Che Harun, Prof. Takahiro Ohashi, Prof. Chafic-Touma Salame and Prof. Yuyuan Zhao

Online since: December 2022

Description: This edition acquaints readers with the latest scientific and engineering research in materials properties and methods of their applications, as well as the results of developing [...more](#)

Materials Science Forum Vol. 1075

Edited by: Prof. Yuyuan Zhao, Prof. Omar S. Es-Said, Dr. G. Kumaresan, Dr. N. Siva Shanmugam and Dr. V. Dhinakaran

Online since: November 2022

Description: The latest research results in the area of materials science and applied technologies and methods of materials synthesis and processing are described in this [...more](#)

Materials Science Forum Vol. 1074

Edited by: Dr. Ramya Muthusamy, Dr. Thangaprakash Sengodan and Prof. Jong Wan Hu

Online since: November 2022

Description: In this edition, the reader can get acquainted with the research results of properties for structural and functional materials, and materials and technologies in [...more](#)

Materials Science Forum Vol. 1073

Edited by: Prof. Jong Wan Hu, Dr. Ramya Muthusamy and Dr. Thangaprakash Sengodan

Online since: October 2022

Description:

In this edition, the research results of properties for structural and functional materials, [...more](#)

Materials Science Forum Vol. 1072

Edited by: Prof. Yafang Han, Dr. Fenfen Liang, Prof. Ke Yong Shao, Dr. Ramya Muthusamy and Dr. Thangaprakash Sengodan

Online since: October 2022

Description:

This issue presents to the reader's attention the research results in the sphere of structural [...more](#)

1	2	3	4	5	...	>	>>
----------	---	---	---	---	-----	---	----

[DISTRIBUTION & ACCESS](#)

[FOR PUBLICATION](#)

[INSIGHTS](#)

[DOWNLOADS](#)

[ABOUT US](#)

[POLICY & ETHICS](#)

[CONTACT US](#)

[IMPRINT](#)

[PRIVACY POLICY](#)

[SITEMAP](#)

[ALL CONFERENCES](#)

[ALL SPECIAL ISSUES](#)

[ALL NEWS](#)

Scientific.Net is a registered brand of Trans Tech Publications Ltd
© 2023 by Trans Tech Publications Ltd. All Rights Reserved

Table of Contents

Preface

Chapter 1: Metallurgical Technologies, Properties of Steels and Alloys

Microstructure and Impact Toughness of Flux-Cored Arc Welded SM570-TMC Steel at Low and High Heat Input H. Oktadinata, W. Winarto and E.S. Siradj	3
Investigation of the Intermetallic Formation on Wet Underwater Welding of AISI 4012 Steel A.D. Anggono, Suwantri, W.A. Siswanto and J. Sedyono	10
Effect of Magnesium on the Strength, Stiffness and Toughness of Nodular Cast Iron A.S. Darmawan, P.I. Purboputro, A. Yulianto, A.D. Anggono, Wijianto, Masyrukan, R.D. Setiawan and N.D. Kartika	17
Effect of Ti Contents on the Microstructure and Mechanical Properties of NiAlTi System D. Wicaksono, X.M. Zhu, M.S. Mustapa, S. Yulianto, A.Y. Nasution and T.W.B. Riyadi	24
Defect Investigation of Sand Casted Aluminum Cooling Fan D. Prihtiantoro, A.D. Anggono and W.A. Siswanto	30
Microstructure and Hardness of Gray Cast Iron as a Product of Solidification in Permanent Mold A. Yulianto, R. Soenoko, W. Suprpto, A. Sonief, A.S. Darmawan and M.D. Setiawan	37
Structure and Properties of NiAlTi Systems Formed by Combustion Synthesis T.W.B. Riyadi	44

Chapter 2: Characterization and Testing of Materials

HAp Coated Hip Prosthesis Contact Pressure Prediction Using FEM Analysis M. Nagentrau, A.L. Mohd Tobi, S. Jamian and Y. Otsuka	53
Effect of the Fine Recycled Aggregates on the Dynamic Compressive Behavior of Recycled Mortar S. Ismail, M.A. Abd Hamid and Z. Yaacob	62
Assessment of the Stress-Strain State of a Tube Sheet of the Heat Exchanger at Rotary Friction Welding Application A.S. Tokarev, D. Karetnikov, R.G. Rizvanov, A.M. Fаhгushin and M.Z. Zariрov	70
Characterisation of Electrode Drying Effect on the Tungsten Carbide Hardfacing Microstructure M. Nagentrau, A.L. Mohd Tobi, S. Jamian and M. Sambu	77
Fatigue Behavior Improvement of A356 Aluminum Alloy of Motorcycle Cast Wheel Produced by High Speed Centrifugal Casting Based on T6 Heat Treatment and Artificial Aging P.T. Iswanto, Akhyar, A. Janata, L.M. Mauludin and H.M. Sadida	86
Electrochemical Performance of Barium Strontium Cobalt Ferrite -Samarium Doped Ceria- Argentum for Low Temperature Solid Oxide Fuel Cell U.A. Yusop, T.K. Huai, H.A. Rahman, N.A. Baharuddin and J. Raharjo	94
Resistance to Chloride Penetration of Recycled Aggregate Concrete Modified Using Treated Coarse Recycled Concrete Aggregate and Fibres S. Ismail and M. Ramli	101

Chapter 3: Technologies of Biomass Processing

Catalytic Pyrolysis of Palm Empty Fruit Bunch over Activated Natural Dolomite Catalyst: Product Distribution and Product Analysis A. Hidayat, M.A. Adnan and A. Chafidz	111
---	-----

CaO/Natural Dolomite as a Heterogeneous Catalyst for Biodiesel Production B. Sutrisno, A.D. Nafiah, I.S. Fauziah, W. Kurniawan, H. Hinode and A. Hidayat	117
Investigating the Potential Use of Cassava Leaf Extract as a Natural Coloring Substance for Fabrics S. Rusdi, M.Y. Zakaria, R.N.F. Aditya and A. Chafidz	123
Investigating the Potential Use of Papaya Leaf Extract as Natural Dyes in the Textile Industry S. Rusdi, H.F. Maulana, N.L. Samudro and A. Chafidz	129
Synthesis of Grafted Cationic Starch with DMDAAC Using Ammonium Persulfate/Carbamide Initiation System H. Tang, P.Y. Zhang, T.X. Li and Y. Ma	135
Biodiesel Synthesis from Used Cooking Oil Using Red Mud as Heterogeneous Catalyst A. Hidayat, G.K. Roziq, F. Muhammad, W. Kurniawan and H. Hinode	144
Effect of HCl-Alcoholic Treatment on the Modification of Jackfruit (<i>Artocarpus heterophyllus</i> Lam) Seed Starch T.H.T. Le, H.T. Nguyen, V.K. Nguyen, T.L. Nguyen and T.T. Nguyen	150

Chapter 4: Technologies of Chemical Production and Wastewater Treatment

Characterization of Hydroxyapatite Synthesized from Calcium Hydroxide and Phosphoric Acid as Adsorbents of Lead in Wastewater H.T. Nguyen and P.T. Dang	159
Research and Application of a New Demulsifier for the Processing of Produced Liquid in Changing Gasfield S.J. Chen, F. Tang, W. Tian, Q.n. LIU and G. Chen	166
Utilization of Modified Zeolite Materials as Chromium Cation Exchanger for Treatment of Liquid Waste from Electroplating Industries Z. Salimin, M. Susianto, B. Batara and A. Chafidz	172
Chemical Treatment of Liquid Waste Generated from Leather Tannery Industry by Using Alum as Coagulant Material Z. Salimin, F.W. Satiyoaji, D.A. Prasetya and A. Chafidz	178
Synthesis of Hydrophobically Associating Polymers and the Application as Oil-Displacing Agent R.J. Zhang, J.L. Zhao, X.K. Wang, Z.P. Zhou and G. Chen	185
Corrosion Rate Analysis of API 5L Gr B Steel Pipe in Acetic Acid Contained Crude Oil Treatment System by Using Amine Base Organik Corrosion Inhibitor A. Swandito and V. Malau	191

Journals

Engineering Research

Advanced Engineering Forum

Applied Mechanics and Materials

Engineering Chemistry

Engineering Innovations

Journal of Biomimetics, Biomaterials and Biomedical Engineering

International Journal of Engineering Research in Africa

Materials Science

Advanced Materials Research

Defect and Diffusion Forum

Diffusion Foundations and Materials Applications

Journal of Metastable and Nanocrystalline Materials

Journal of Nano Research

Key Engineering Materials

Materials Science Forum

Nano Hybrids and Composites

Solid State Phenomena

Engineering Series

Advances in Science and Technology

Construction Technologies and Architecture

Books

Special Book Collections

Foundations of Materials Science and Engineering

Scientific Books Collection

Specialized Collections

Retrospective Collection

Materials Science Forum - Editorial Board

ISSN: 1662-9752

Details

Volumes

Editorial Board

Founding Editor

Fred H. Wohlbiert

Honorary Editor

Prof. Graeme E. Murch

University of Newcastle, Centre for Mass and Thermal Transport in Engineering Materials, School of Engineering; Callaghan, Australia, NSW 2308;

Editor(s) in Chief

Prof. Iulian Antoniac

University Politehnica of Bucharest, Faculty of Materials Science and Engineering; 313 Splaiul Independentei, Bucharest, 060042, Romania;

Prof. Guillermo Requena

ORCID

German Aerospace Center (DLR), Institute of Materials Research ; Köln, DE-51170, Germany;

Editorial Board

Prof. Dezső L. Beke

University of Debrecen, Department for Solid State Physics; Bem tér 18/b, Debrecen, 4026, Hungary;

Prof. Giorgio Benedek

University of Milano Bicocca, Department of Materials Science; U5, Università di Milano-Bicocca, Via R. Cozzi 55, Milano, 20125, Italy;

Dr. Giacomo Benvenuti

ORCID

ABCD Technology; Switzerland;

Prof. Anil K. Bhatnagar

University of Hyderabad, School of Physics and School of Engineering; Hyderabad, India, 500046;

Prof. Chi Ming Chan

Hong Kong University of Science and Technology, Department of Chemical and Biomolecular Engineering, Clear Water Bay; Kowloon, China;

Dr. Abel S. Fenta

ORCID

CERN; Genève, CH-1211, Switzerland;

Roberto B. Figueiredo

Federal University of Minas Gerais, Department of Metallurgical and Materials Engineering; Belo Horizonte, MG, 30, Brazil, 31270-901;

Prof. Hermann G. Grimmeiss

Lund University, Department of Solid State Physics; Box 118, Lund, 221 00, Sweden;

Prof. Jerzy Jedlinski

AGH University of Science and Technology, Faculty of Materials Science and Ceramics, Department of Physical Chemistry and Modeling of Processes and Surface Engineering; al. Mickiewicza 30, Kraków, 30-059, Poland;

Prof. Megumi Kawasaki

ORCID

Oregon State University, School of Mechanical, Industrial and Manufacturing Engineering; 204 Rogers Hall, Corvallis, USA, 97331;

Prof. Terence G. Langdon

University of Southampton, Faculty of Engineering and the Environment; Lanchester Building (Bldg. 7), Highfield Campus, Southampton, United Kingdom, SO17 1BJ;

Prof. Jai Sung Lee

Hanyang University, Department of Metallurgy and Materials Science; 55 Daehak-no, Sangnok-gu, Ansan, Korea, South, 426-791;

Prof. Eric J. Mittemeijer

Max Planck Institute for Intelligent Systems; Heisenbergstrasse 3, Stuttgart, 70569, Germany;

Prof. Stephen J. Pearton

University of Florida, Department of Materials Science and Engineering; Gainesville, USA, 32611-6400;

Prof. Vassilis Pontikis

Commissariat à l'Energie Atomique et les Energies Alternatives (CEA), CEA-Saclay; Bdg. 524, Gif-sur-Yvette, 91191, France;

Prof. András Roósz

Hungarian Academy of Sciences, Miskolc University (HAS-MU); Miskolc-Egyetemváros, 3515, Hungary;

Prof. David N. Seidman

Northwestern University, Department Materials Science and Engineering; Cook Hall, 2220 Campus Drive, Evanston, USA, 60208;

Dr. Ching Hua Su

NASA/Marshall Space Flight Center, EM31 NASA/Marshall Space Flight Center; Huntsville, USA, 35812;

Prof. David Tomanek

Michigan State University, Physics and Astronomy Department; 567 Wilson Road, East Lansing, USA, MI 48824-6455;

Prof. A.S. Wronski

University of Bradford, School of Engineering, Design and Technology; West Yorkshire, Bradford, United Kingdom, BD7 1DP;

Emeritus Prof. David J. Young

University of New South Wales, School of Materials Science and Engineering; Sydney, Australia, NSW 2052;

[DISTRIBUTION & ACCESS](#)

[FOR PUBLICATION](#)

[INSIGHTS](#)

[DOWNLOADS](#)

[ABOUT US](#)

[POLICY & ETHICS](#)

[CONTACT US](#)

[IMPRINT](#)

[PRIVACY POLICY](#)

[SITEMAP](#)

[ALL CONFERENCES](#)

[ALL SPECIAL ISSUES](#)

[ALL NEWS](#)

Scientific.Net is a registered brand of Trans Tech Publications Ltd

© 2023 by Trans Tech Publications Ltd. All Rights Reserved

ICOAMS2019

The 2nd International Conference on Advanced Materials Science (ICOAMS2019)
23-24 October 2019

LATEST NEWS: There are many request from authors, paper submission extended until 12 October 2019

To submit ICOAMS2019 papers, you have to follow the steps below:

STEP 1: Register your correct name and email to scientific.net. The correspondence will be via email.

First Name *	<input type="text"/>
Middle Name	<input type="text"/>
Last Name *	<input type="text"/>
Email *	<input type="text"/>

[CLICK HERE to Send Request](#)

STEP 2: See your email. In less than 24 hours scientific.net will create an author account and notify you by email

STEP 3: After you have received the username and password, you can submit the paper in scientific.net

All accepted reviewed-papers will be published by [Scientific.Net](#) in [Material Science Forum](#) indexed by [SCOPUS](#). Authors who submit to this conference agree to the [Publication Ethics](#).

Author Guidelines	Paper Tracks	Technical Experts	Venue	Publication Ethics	Review Policy
-------------------	--------------	--------------------------	-------	--------------------	---------------



Assoc. Prof. Dr. Judha Purbolaksono
Failure Analysis, Fatigue Fracture Mechanics, Computational Solid Mechanics
Universiti Teknologi Brunei (UTB)
Brunei



Prof. Dr. Muhaimin Ismoen
Computational nanomaterials, Computational fluid dynamics, Numerical methods
Universiti Teknologi Brunei (UTB)
Brunei



Mr. Agung Setyo Darmawan

Biomaterial
Universitas Muhammadiyah Surakarta
Indonesia





Assoc. Prof. Dr. Agus Dwi Anggono

Finite element analysis, Simulation, Design and Modeling, Manufacturing

Universitas Muhammadiyah Surakarta (UMS)

Indonesia



Mr. Agus Mujianto

Mechanical Engineering Materials

Universitas Muhammadiyah Kalimantan Timur (UMKT)

Indonesia



Mrs. Anis Siti Nurrohkayati

Industrial Engineering, Manufacture System

Universitas Muhammadiyah Kalimantan Timur (UMKT)

Indonesia



Mr. Ardiansyah

Materials

Universitas Muhammadiyah Kalimantan Timur (UMKT)

Indonesia



Mr. Binyamin

Solid Mechanics, Materials, Finite Element, Energy

Universitas Muhammadiyah Kalimantan Timur (UMKT)

Indonesia



Dr. Dafit Feriyanto

Advanced materials, manufacturing

Universitas Mercu Buana (UMB)

Indonesia



Mr. Hery Tri Waloyo

Renewable Energy

Universitas Muhammadiyah Kalimantan Timur (UMKT)

Indonesia



Dr. Iis Siti Aisyah

Metalurgy, Materials

Universitas Muhammadiyah Malang (UMM)

Indonesia



Dr. Joko Sedyono

Composite Materials, Optimization, Manufacturing Process

Universitas Muhammadiyah Surakarta (UMS)

Indonesia



Dr. Kun Harismah

Organic chemistry, organic synthesis, natural products

Universitas Muhammadiyah Surakarta (UMS)

Indonesia



Assoc. Prof. Dr. Marwan Effendy

Computational heat, Computational fluid dynamics

Universitaa Muhammadiyah Surakarta (UMS)

Indonesia



Muhammad Syukron, Ph.D

Materials science

Universitas Muhammadiyah Surakarta (UMS)

Indonesia

**Mr. Ngafwan***Nano materials*

Universitas Muhammadiyah Surakarta (UMS)

Indonesia

**Dr Prantasi Harmi Tjahjanti***Mechanical Engineering*

Universitas Muhammadiyah Sidoarjo (UMSIDA)

Indonesia

**Dr Purnomo**

Fracture Mechanics

Universitas Muhammadiyah Semarang

Indonesia

**Assoc. Prof. Dr. Sarjito***Computational Heat, Computational fluid dynamics*

Universitas Muhammadiyah Surakarta (UMS)

Indonesia

**Mr. Sigiet Haryo Pranoto***Manufacturing, Materials and Metallurgy, Advanced Metrology, Design and Simulation*

Universitas Muhammadiyah Kalimantan Timur (UMKT)

Indonesia

**Assoc. Prof. Dr. Supriyono***Materials Engineering, Computational Solid Mechanics*

Universitas Muhammadiyah Surakarta (UMS)

Indonesia

**Assoc. Prof. Dr. Tri Widodo Besar Riyadi***Materials Engineering*

Universitas Muhammadiyah Surakarta (UMS)

Indonesia

**Assoc. Prof. Dr. Waluyo Adi Siswanto***Computational Mechanics, Finite Element Analysis, Biomechanics*

Universitas Muhammadiyah Surakarta (UMS)

Indonesia

**Mr. Mohammed Hussien Rady**

mechanical engineering

Wasit University

Iraq

**Assoc. Prof. Dr Otsuka Yuichi***Biomaterials, Material science*

Nagaoka University of Technology

Japan

**Dr. Abdul Latif Mohd Tobi***Finite Element Analysis, Computational Mechanics, Fatigue & Fracture*

Universiti Tun Hussein Onn Malaysia (UTHM)

Malaysia



Assoc. Prof. Dr. Anika Zafiah Binti Mohd Rus

Synthesis of Polymer from Renewable materials
Universiti Tun Hussein Onn Malaysia (UTHM)

Malaysia



Assoc. Prof. Ts. Dr. Hamimah Abd Rahman

Advanced ceramics, solid oxide fuel cell, electrophoretic deposition, ceramic foam
Universiti Tun Hussein Onn Malaysia (UTHM)

Malaysia



Assoc. Prof. Dr. Hariati Binti Mohd Taib

Material science, Advance materials, Ceramics
Universiti Tun Hussein Onn Malaysia (UTHM)

Malaysia



Assoc. Prof. Dr. Maizlinda Izwana Binti Idris

Material Scienc, Composite materials
Universiti Tun Hussein Onn Malaysia (UTHM)

Malaysia



Assoc. Prof. Dr. Mohammad Sukri Mustapa

Structural Integrity, Fatigue Failure, Fatigue Crack Growth, Fracture Mechanics, Fibre Composite
Universiti Tun Hussein Onn Malaysia (UTHM)

Malaysia



Dr. Mohammad Zulafif Rahim

Materials Manufacturing, Advanced Machining, Machine Design
Universiti Tun Hussein Onn Malaysia (UTHM)

Malaysia



Mr. Nagentrau Muniandy

Mechanics of material, Finite element method, Hardfacing
KDU University College

Malaysia



Dr. Sharifah Adzila Binti Syed Abu Bakar

Advanced materials, Biocompatible Materials, Biomaterials
Universiti Tun Hussein Onn Malaysia (UTHM)

Malaysia



Ts. Dr. Zakiah Binti Kamdi

Material sciences, Advanced materials
Universiti Tun Hussein Onn Malaysia (UTHM)

Malaysia



Dr Nguyen Hoc Thang

Materials Engineering, Inorganic Chemical Engineering, Environmental Engineering

Ho Chi Minh City University of Food Industry

Vietnam

Organiser:

Master Mechanical Engineering Programme, School of Graduate Studies, Universitas Muhammadiyah Surakarta

In collaboration with:

- Bachelor Mechanical Engineering Programme, Faculty of Engineering, Universitas Muhammadiyah Surakarta
- Bachelor Mechanical Engineering Programme, Faculty of Science and Technology, Universitas Muhammadiyah Kalimantan Timur
- Asosiasi Program Studi Teknik Mesin Perguruan Tinggi Muhammadiyah



APSTM-PTM
Asosiasi Program Studi Teknik Mesin Perguruan Tinggi Muhammadiyah



UMS
Universitas Muhammadiyah Surakarta



UMKT
UNIVERSITAS MUHAMMADIYAH
Kalimantan Timur